

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2	("20050228920").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 15:01
S3	193	event data structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:49
S4	28	event data structure same state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 15:06
S5	68	event data structures	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 15:07
S6	290	710/260-269.ccls. and data structure\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 15:07
S7	298	710/260-269.ccls. and arm\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 15:07
S8	12	710/260-269.ccls. and armed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 15:17
S9	13	710/260-269.ccls. and doorbell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 15:17

S10	1923	event queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 16:53
S11	16	710/260-269.ccls. and event queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 15:18
S12	30	event queue near1 (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 17:36
S13	5000	interrupt service routine\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 17:37
S14	268	interrupt service routine\$2 and 710/260.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 17:38
S15	1033	710/260.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/08 17:38
S16	6	710/260.ccls. and event queue\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 10:36
S17	4	710/260.ccls. and distribut\$3 event\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 10:41

S18	786	710/260.ccls. and state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 10:41
S19	36	710/260.ccls. and state with queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 16:51
S20	125	710/260.ccls. and overflow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 11:27
S21	10	710/260.ccls. and overflow same queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 11:47
S22	28	710/260.ccls. and overflow same buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 11:27
S23	45	710/260.ccls. and state near2 (indicator\$2 or flag\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 11:47
S24	4	710/260.ccls. and state near2 (indicator\$2 or flag\$2) same (queue\$2 or buffer\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 14:37
S25	4	("4032899").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 14:37

S26	74	710/260.ccls. and multiprocessor\$2 and (queue or circular buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 16:52
S27	64	710/260.ccls. and multiprocessor\$2 and (queue or circular buffer) and state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 16:54
S28	240	710/260.ccls. and (interrupt\$2 or request\$2) near2 (buffer\$2 or queue\$2 or structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:36
S29	158	710/260.ccls. and (interrupt\$1 or request\$1) near1 (buffer\$2 or queue\$2 or structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 16:56
S30	134	710/260.ccls. and (interrupt\$1 or request\$1) near1 (queue\$2 or structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 16:56
S31	84	710/260.ccls. and (interrupt\$1 or request\$1) near1 (queue\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 17:11
S32	50	S30 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 16:56
S33	2	("5671365").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 17:00

S34	12	710/260.ccls. and (interrupt\$1 or request\$1) near1 (queue\$2) same full	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:31
S35	11	710/260.ccls. and initializ\$3 near4 queue\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:32
S36	18	710/260.ccls. and (interrupt\$2 or request\$2) near2 (buffer\$2 or queue\$2 or structure) with (reset\$4 or initializ\$3 or configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:37
S37	17	710/260.ccls. and (interrupt\$2 or request\$2) near2 (buffer\$2 or queue\$2) with (reset\$4 or initializ\$3 or configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:40
S38	6	710/260.ccls. and (interrupt\$2 or request\$2) near2 (buffer\$2 or queue\$2) with (reset\$4 or initializ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:41
S39	500	(interrupt\$2 or request\$2) near2 (buffer\$2 or queue\$2) with (reset\$4 or initializ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:42
S40	136	(interrupt\$2 or request\$2) (buffer\$2 or queue\$2) near5 (reset\$4 or initializ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:42
S41	48	(interrupt\$2 or request\$2) (buffer\$2 or queue\$2) near5 (initializ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:46

S42	7	initializ\$3 near2 queue with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:49
S43	15	event data structure same (initializ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:49
S44	5	event data structure with (initializ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:51
S45	70	notify\$3 near2 device\$2 near4 location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/09 18:52
S46	1022	queue with notify\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 09:48
S47	3	queue with notify\$3 near4 location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 09:48
S48	652	allocat\$3 memory near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 09:57
S49	0	allocat\$3 memory near3 (buffer or queue) with notify\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 09:57

S50	0	allocat\$3 memory near3 (buffer or queue) with notif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 09:57
S51	752456	allocat\$3 memory near3 (buffer or queue) with location\$2 or address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 09:57
S52	70	allocat\$3 memory near3 (buffer or queue) with (location or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 09:59
S53	0	allocat\$3 memory near3 (buffer or queue) with (location or address) with (initializ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 09:59
S54	0	allocat\$3 memory near3 (buffer or queue) with (location or address) with (configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:00
S55	0	allocat\$3 memory near3 (buffer or queue) with (location or address) same (initializ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:00
S56	0	allocat\$3 memory near3 (buffer or queue) with (location or address) same (configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:00
S57	3	allocat\$3 memory near3 (buffer or queue) with (location or address) same (initiat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:01

S58	1834	event code\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:14
S59	24	event code\$2 near5 clear\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:15
S60	6	event code\$2 and 710/260.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:27
S61	327	(reset or reboot) with undefined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:28
S62	11773	determin\$3 near4 reset\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:29
S63	290	determin\$3 near4 reset\$4 near3 occur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:29
S64	62	determin\$3 near4 reset\$4 near3 occur\$4 same state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:30
S65	1	determin\$3 near4 reset\$4 near3 occur\$4 same state same updat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:30

S66	12	determin\$3 near4 reset\$4 near3 occur\$4 same updat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:34
S67	314	transfer queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:34
S68	25	transfer queue same interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:38
S69	4557	(interrupt or request) queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:39
S70	224	(interrupt or request) queue and undefined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:39
S71	45	(interrupt or request) queue and undefined same state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:59
S72	27729	system near2 reset\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:59
S73	45	system near2 reset\$4 same undefined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 10:59

S74	1595	i/o device near2 (processor\$2 or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 11:25
S75	37	i/o device near2 (processor\$2 or cpu) and 710/260.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/10 11:25